

## Thriftwood Scout Campsite Risk Assessment: **Pioneering**

Completed by Alex Kerr

Date 1/5/24

Next Review Date: 1/5/2025

Hazard	Who might be harmed	Existing controls	Severity 1-10	Likelihood 1-10	Rating (SxL)	Further Actions Required
Falling objects	All	Responsible adult to check structure.	5	3	15	Adequately Covered
Hurt Back	All	Use manual handling techniques when moving large poles	4	3	12	Adequately Covered
Horseplay	Participant	Adult supervision at all times	6	2	12	Adequately Covered
Rope burn	Participant	Adult supervision	3	3	9	Trivial Risk
Slips and Trips	All	Adult supervision, suggest level ground for projects	4	4	16	Adequately Covered
Injury due to use of element	Participants	Responsible adult supervision and checking of equipment before use.	5	4	20	Adequately Covered
Weather	Participants	Check Weather Forecast, do not use in electrical storm. Participants advised poles may be slippery when wet.	3	4	12	Adequately Covered
	Participants					
	Participants					
<b>See Site Procedures for action.</b>						

Rating	81-100	61-80	41-60	21-40	11-20	0-10
Action	Immediate Action	Action within 1 week	Not adequately controlled	Further Investigation	Adequately Controlled	Trivial Risk