

**Thriftwood Scout Campsite Risk Assessment: Cresta Run.**

Completed by Alex Kerr

Date 1/4/26

Next Review Date: 1/4/2027

| Hazard                              | Who might be harmed | Existing controls   | Severity 1-10 | Likelihood 1-10 | Rating (SxL) | Further Actions Required |
|-------------------------------------|---------------------|---|---------------|-----------------|--------------|--------------------------|
| Toboggans leaving track             | Participant         | High Guide rails and smooth track to reduce risk  | 8             | 2               | 16           | Adequately Covered       |
| Toboggans failing to stop           | Participant         | Slowing ramp, brush braking system, dry braking area, soft end wall   | 6             | 2               | 12           | Adequately Covered       |
| Toboggans hitting debris            | Participant         | Track checked prior to activity, quarterly inspections  | 6             | 2               | 12           | Adequately Covered       |
| Head Injury                         | Participant         | Helmets issued  | 6             | 2               | 12           | Adequately Covered       |
| Spectators on track                 | All                 | Spectators seating area   | 6             | 3               | 18           | Adequately Covered       |
| Toboggans hitting riders            | Participants        | Participants to let toboggans go down the first slope. Collect them and pull them back up, keeping outside the tracks | 3             | 5               | 15           | Adequately Covered       |
| Toboggans stopping too quickly      | Participants        | Participants to sit 'normally' holding handles  | 6             | 3               | 18           | Adequately Covered       |
| Toboggans not reaching braking area | Participants        | Helmets issued. Quarterly inspections, activity checked prior to use  | 8             | 2               | 16           | Adequately Covered       |
| Injury to hands                     | Participants        | Participants to hold starting handles then toboggan handles   | 4             | 4               | 16           | Adequately Covered       |

See Site Procedures for action.

|        |                  |                      |                           |                       |                       |              |
|--------|------------------|----------------------|---------------------------|-----------------------|-----------------------|--------------|
| Rating | 81-100           | 61-80                | 41-60                     | 21-40                 | 11-20                 | 0-10         |
| Action | Immediate Action | Action within 1 week | Not adequately controlled | Further Investigation | Adequately Controlled | Trivial Risk |